Web Images Video Maps News Shopping Gmail more -

drjatorres@gmail.com | Web History | My Account | Sign out



"dynamic range" "26.24 dB"

Search

Advanced Search Preferences

Show options... Web

Results 1 - 3 of 3 for "dynamic range" "26.24 dB". (0.31 seconds)

[PDF] School of Electrical Engineering and Telecommunications

File Format: PDF/Adobe Acrobat

If the sample values are unsigned; the nominal dynamic range is ... dynamic range is restored in this post-processing stage. ...

www.library.unsw.edu.au/~thesis/adt-NUN/uploads/approved/adt-NUN20030519.163058/public/02whole.pdf - Similar pages - @ by AS Natu - 2003 - Cited by 2 - Related articles - All 4 versions

Wireless communication receiver having an add with a limited ...

As a result, the required dynamic range for the ADC is reduced to 26.24 dB, ie, the difference between -64 dBm and -90.24 dBm, which is significantly ... www.freepatentsonline.com/y2006/0251186.html - Similar pages - @

IPDFI Catalog Produse www.altshop.ro

File Format: PDF/Adobe Acrobat

ZGOMOT 26.24 dB(A). GREUTATE 300 grame. Garantie: 2 ANI. 49.00Lei. Page 105/679 Dynamic range: 116dB. # Total harmonic distortion + noise: -97dB ... www.altshop.ro/catalogues/catalog_4.pdf - Similar pages - @

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.

Personalized based on your web history. More details

🚌 Add a result - See all my SearchWiki notes - See all notes for this SearchWiki - Learn more

"dynamic range" "26.24 dB"

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve -Try Google Experimental

Web Images Video Maps News Shopping Gmail more -

driatorres@gmail.com | Web History | My Account | Sign out



"dynamic range" "26.24" ADC

Search

Advanced Search Preferences

Show options... Web

Results 1 - 10 of about 75 for "dynamic range" "26.24" ADC. (0.64 seconds)

[PDF] ADCC-3960 DS 23Sep05.fm

File Format: PDF/Adobe Acrobat - View as HTML

a on-chip ADC which provides up to. 10-bit resolution per pixel. ... Dynamic range. 64 dB. Quantum efficiency. Red: 48%, Green: 49%, Blue: 43% 26.24. 26.23. 28.42. 600. 18.38. 23.50. 23.37. 48.44. Quantum Efficiency ...

www.digchip.com/datasheets/download_datasheet.php?id=1085860&part-number=ADCC-3960-0100 - Similar pages -

Datasheet Archive - Index of Datasheets and Application Notes Page ...

... mechanism increase dynamic range allowing input signals peak, decoupling View PDF (1 Pages, 26.24kB). Part Details P/N: 10AYO1 Products Catalog ...

www.datasheetarchive.com/datasheet-pdf/4237.html - 94k - Cached - Similar pages - @

Wireless communication receiver having an adc with a limited ...

As a result, the required dynamic range for the ADC is reduced to 26.24 dB, ie, the difference between -64 dBm and -90.24 dBm, which is significantly ... www.freepatentsonline.com/y2006/0251186.html - Similar pages -

27

Oct 14, 2008 ... vintage **a d c** 706-a passive filter :..... 25.42 Effective selectivity:

www.scribd.com/doc/6579225/27 - 712k - Cached - Similar pages - 🗇

MC145540 Datasheet Pdf IC-ON-LINE免費提供電子元器件廠家技術資料下載

A codec is a single device that does both the ADC and DAC conversions. In addition to the dynamic range of the codec/filter function of this device, dBm (600) -25.40 -25.52 -25.63 -25.75 -25.87 -25.99 -26.11 -**26.24** -26.37 ...

tw.ic-on-line.cn/iol_mc145540/pdfview/813850.htm - 327k - Cached - Similar pages - @

Liquid-phase composition of intact fruit tissue measured by high ...

increased dynamic range, enabling detection of components at levels at least must be attenuated to prevent ADC overflow ("clipping"), with ...

pubs.acs.org/doi/abs/10.1021/ji00031a002 - Similar pages - @ by QW Ni - 1993 - Cited by 16 - Related articles - All 3 versions

IPDFI NAVAL POSTGRADUATE SCHOOL Monterey, California

File Format: PDF/Adobe Acrobat - View as HTML

number of folds to instrument the dynamic range M. Since a complete fold is The design goal for this phase of the EO-ADC project was to produce a -26.24ns. Low signal amplitude. Figure 13. Typical Initial Signal Path Timing ...

handle.dtic.mil/100.2/ADA303120 - Similar pages - @

IPDFI 2006 ARRL Handbook Index

File Format: PDF/Adobe Acrobat - View as HTML

Spurious free dynamic range (SFDR): ... 15.15. 6061-T6 aluminum rods: ADC:

..... 5.28 **...**

mxh.strefa.pl/pliki/tech/book2006/28.pdf - Similar pages - @

[PDF] Digital Signal Processing Applications and Implementation for ... [8] [8]

File Format: PDF/Adobe Acrobat

9 shows the **ADC**/DAC response to a low amplitude and low frequency signal. ... different clock frequency, showing a 76 dB **dynamic range** and a smooth variation of the **26.24**. The new compilation is compatible with the actual FPGA. ...

cdsweb.cem.ch/record/586867/files/sl-2002-047.pdf - Similar pages - @

[PDF] Design of a Saccadic Active Vision System 🔯 🗵

File Format: PDF/Adobe Acrobat - View as HTML

... the system would still be required to transmit 26.24Mbit/s; to adjust the dynamic range of a wide-angle scene by capturing the scene using an array ... www.cse.yorku.ca/~visor/pdf/ThesisWinnieWong.pdf - Similar pages - by WSW Wong - Related articles - All 11 versions

1 2 3 4 5 6 Next

Personalized based on your web history. More details

Add a result - See all my SearchWiki notes - See all notes for this SearchWiki - Learn more

"dynamic range" "26.24" ADC

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Web Images Video Maps News Shopping Gmail more •

drjatorres@gmail.com | Web History | My Account | Sign out



"dynamic range" "26.24" ADC

Search

Advanced Search Preferences

Web Sh

Show options...

Results 11 - 20 of about 72 for "dynamic range" "26.24" ADC. (0.07 seconds)

[PDF] Design of a Saccadic Active Vision System 🐺 🔀

File Format: PDF/Adobe Acrobat - View as HTML

... the system would still be required to transmit **26.24**Mbit/s; to adjust the **dynamic** range of a wide-angle scene by capturing the scene using an array ...

www.cse.yorku.ca/~visor/pdf/ThesisWinnieWong.pdf - Similar pages - © by WSW Wong - Related articles - All 11 versions

AEU - International Journal of Electronics and Communications ...

... requires the use of linear amplifiers with a large **dynamic range** that are very power-inefficient and the 12-bits Analog to Digital Converter (**ADC**) TLV 2541, both from Texas Instruments. ... 2.3, **26.24**, 22.96. 2.4, 19.28, 15.68 ...

linkinghub.elsevier.com/retrieve/pii/S143484110700163X - Similar pages - © by VP Gil Jiménez - 2008 - Related articles

[PDF] 2005 ARRL Handbook Index

File Format: PDF/Adobe Acrobat - View as HTML

yb1zdx.arc.itb.ac.id/data/OWP/arrl-books/arrl-handbook-2005/28.pdf - Similar pages -

[PDF] CGMS XXVII

File Format: PDF/Adobe Acrobat - View as HTML

ACTION **26.24**. WMO to inform the other CGMS Members on detailed procedures to be followed for placing CGMS working papers on the WMO ...

www.eumetsat.int/groups/cps/documents/document/pdf_cgms_rep27.pdf - Similar pages -

by M SATELLITES - All 5 versions

NIRC User's Manual

Mar 29, 1999 ... Note that saturation may occur before these **ADC** limits are values decrease th dark current but limit the **dynamic range** available. ...

-www2.keck.hawaii.edu/inst/nirc/manual/Manual.html - 202k - <u>Cached - Similar pages -</u>

[PDF] <u>WM8983</u>

File Format: PDF/Adobe Acrobat

microphone or line input through the **ADC** as well as a purely ... high pass filter in the **ADC** path is provided for wind noise ...

www.wolfsonmicro.com/uploads/documents/en/WM8983_Rev4.1.pdf - Similar pages - @

Instrument Catalog Information

The antennas at **dynamic range** of roughly +/- 100 K about the PRT Input channels are assigned to **ADC** inputs 3 3 210 09/09/95 11 9 AM 293 1015.0 10 AM 290 14.9 N/A **26.24** 20.0 6 3 180 09/14/95 7 58 AM 290 14.9 N/A 23.76 13.0 ...

pdsproto.jpl.nasa.gov/catalog/instrument/Resultsds.CFM?ResultsSelBox= ATMOSPHERIC+STRUCTURE...PACKAGE - 390k - Cached - Similar pages - ⑤

[PDF] issertation in hysics Determination of the gravitational constant ...

File Format: PDF/Adobe Acrobat

DAS 1002, each with 24 digital I/O channels, 8 **ADC** channels (12 bits) light and dark current removed to match the **dynamic range** of an analog **26.24**(4) ns. Natural linewidth (FWHM). Γ . 2π · 6.065(9) MHz. Saturation intensity ...

www.fi.infn.it/sezione/esperimenti/MAGIA/PhD_Lamporesi.pdf - Similar pages - © by G Lamporesi - Related articles

pop connector Musical Instruments - Save time and find great deals ...

Guitar Cable Better Cables 8 meter (26.24 ft) REFERENCE with Silent NO POP Neutrik
latency-free monitoring, and the Platinum Pro series ADC option. ...
www.dealtime.com/xDN-musical_instruments-pop_connector~LO-1~CR-3~CLT-HSNLF -

Similar pages - @

[РDF] Digi-Key Catalog C091 Pages 0846-0858

File Format: PDF/Adobe Acrobat - View as HTML

dkc3.digikey.com/PDF/C091/0846-0858.pdf - Similar pages - @

<u>Previous 1 2 3 4 5 6</u> Next

⊕ Add a result - See all my SearchWiki notes - See all notes for this SearchWiki - Learn more

"dynamic range" "26.24" ADC

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Web Images Video Maps News Shopping Gmail more v

drjatorres@gmail.com | Web History | My Account | Sign out



"dynamic range" "26.24" ADC decibels

Search

Advanced Search Preferences

Web Show options...

Results 1 - 10 of about 41 for "dynamic range" "26.24" ADC decibels. (0.26 seconds)

[PDF] ADCC-3960 DS 23Sep05.fm

File Format: PDF/Adobe Acrobat - View as HTML

a on-chip **ADC** which provides up to. 10-bit resolution per pixel. ... Maximum SNR. > 40dB. **Dynamic range**. 64 **dB**. Quantum efficiency. Red: 48%, Green: 49%, **26.24**. 26.23.

28.42. 600. 18.38. 23.50. 23.37. 48.44. Quantum Efficiency ...

www.digchip.com/datasheets/download_datasheet.php?id=1085860&part-number=ADCC-3960-0100 - Similar pages -

27

Oct 14, 2008 ... Determine velocity factor, coax cable loss in **dB**, length of coax converter (see **ADC**) Analytic Signals and modulation:

......10.1, 25.42 Effective selectivity:

www.scribd.com/doc/6579225/27 - 712k - Cached - Similar pages - @

AEU - International Journal of Electronics and Communications ...

... of linear amplifiers with a large **dynamic range** that are very power-inefficient and have ... First, using adequate parameters the signal PAR is bounded to 3 **dB** independently on and the 12-bits Analog to Digital Converter (**ADC**) TLV 2541, both from Texas Instruments. ... 2.3, **26.24**, 22.96. 2.4, 19.28, 15.68 ...

linkinghub.elsevier.com/retrieve/pii/S143484110700163X - <u>Similar pages</u> - © by VP Gil Jiménez - 2008 - <u>Related articles</u>

Wireless communication receiver having an adc with a limited ...

As a result, the required **dynamic range** for the **ADC** is reduced to **26.24 dB**, ie, the difference between -64 dBm and -90.24 dBm, which is significantly ... www.freepatentsonline.com/y2006/0251186.html - Similar pages -

MC145540 Datasheet Pdf IC-ON-LINE免費提供電子元器件廠家技術資料下載

A codec is a single device that does both the **ADC** and DAC conversions. The amount of gain control is 0 to 7 **dB** in 1 **dB** steps. with greater than 75 **dB** of **dynamic range**, all operating on a single 5 V power supply. 0.0208 dBm (600) -25.40 -25.52 -25.63 -25.75 -25.87 -25.99 -26.11 -26.24 -26.37 ...

tw.ic-on-line.cn/iol_mc145540/pdfview/813850.htm - 327k - Cached - Similar pages - @

[PDF] NAVAL POSTGRADUATE SCHOOL Monterey, California

File Format: PDF/Adobe Acrobat - View as HTML

output 3-dB coupler and continue to propagate undiminished in the output number of folds to instrument the dynamic range M. Since a complete fold is 2V The design goal for this phase of the EO-ADC project was to produce a -26.24ns. Low signal amplitude. Figure 13. Typical Initial Signal Path Timing ...

handle.dtic.mil/100.2/ADA303120 - Similar pages -

[PDF] 2006 ARRL Handbook Index 🐺 🔀

File Format: PDF/Adobe Acrobat - View as HTML

Spurious free dynamic range (SFDR): ... 15.15. 6061-T6 aluminum rods:.....

22.64 ADC:
[PDF] Design of a Saccadic Active Vision System
грогу Digital Signal Processing Applications and Implementation for
Liquid-phase composition of intact fruit tissue measured by high
1 <u>2 3 4</u> Next
Personalized based on your web history. More details
Add a result - See all my SearchWiki notes - See all notes for this SearchWiki - Learn more
"dynamic range" "26.24" ADC decibels Search
Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental
Google Home - Advertising Programs - Business Solutions - Privacy - About Google

Web Images Video Maps News Shopping Gmail more -

drjatorres@gmail.com | Web History | My Account | Sign out



"dynamic range" "26.24" ADC decibels

Search

Advanced Search Preferences

Web Show options...

Results 11 - 20 of about 39 for "dynamic range" "26.24" ADC decibels. (0.23 seconds)

[PDF] CGMS XXVII

File Format: PDF/Adobe Acrobat - View as HTML

ACTION **26.24**. WMO to inform the other CGMS Members on detailed procedures to be followed for placing CGMS working papers on the WMO ...

www.eumetsat.int/groups/cps/documents/document/pdf_cgms_rep27.pdf -

Similar pages - @

by M SATELLITES - Ali 5 versions

[PDF] 2005 ARRL Handbook Index [Scientific Array | 1987]

File Format: PDF/Adobe Acrobat - View as HTML

ADC: 16.3, 16.4 1-dB compression point: 11.21. Second-order intercept point: 11.21 26.24. Response curve of photo: 5.28.

Reverse breakdown: Spurious free **dynamic range** (SFDR): 15.15. 6061-T6

aluminum rods:

yb1zdx.arc.itb.ac.id/data/OWP/arrl-books/arrl-handbook-2005/28.pdf - Similar pages - 💬

[PDF] WM8983

file format: PDF/Adobe Acrobat

OUT4_2ADCVOL mute attenuation. 100. **dB**. Analogue to Digital Converter (**ADC**) - Input from LIN/P and RIN/P in differential configuration to input PGA ...

www.wolfsonmicro.com/uploads/documents/en/WM8983_Rev4.1.pdf - Similar pages - @

[PDF] WM8983

File Format: PDF/Adobe Acrobat

dB. Analogue to Digital Converter (**ADC**) - Input from LIN/P and RIN/P in differential **dynamic range** of the signal and increase its perceived loudness. ...

www.wolfsonmicro.com/uploads/documents/en/WM8983.pdf - Similar pages - @

Instrument Catalog Information

The antennas at **dynamic range** of roughly +/- 100 K about the PRT temperature, 4 0 PM 293 1015.0 24 4.61 63.0 would be about 72.6 **dB** (70-m antenna). Input channels are assigned to **ADC** inputs 3 3 210 09/09/95 11 9 AM 293 AM 290 14.9 N/A **26.24** 20.0 6 3 180 09/14/95 7 58 AM 290 14.9 N/A 23.76 13.0 ...

pdsproto.jpl.nasa.gov/catalog/instrument/Resultsds.CFM?ResultsSelBox= ATMOSPHERIC+STRUCTURE...PACKAGE - 390k - <u>Cached - Similar pages -</u>

Search of All Forums

100+ posts - Last post: May 3, 2006

Here's why: With tweeters that can do 119 **db's** @ 1w / 1m, highly efficient mids, Posted by Stephen on 2004-04-29, 07:00:48 (203.51.**26.24**) at least your system won't wimp out on **dynamic range!** gave me his Thorens TD125 MKII w/**ADC** arm which I added a Sumiko Blue Point cartrige too. ...

db.audioasylum.com/cgi/search.pl?forum=ALL&searchtext=perreaux - 424k - Cached - Similar pages - ⊕

Design of a Saccadic Active Vision System 🖟 🔀

Specifically, this discussion focuses on methods to determine regions of interest and

achieve high dynamic range on the sensor. ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.71.8154&rep=rep1&type=pdf - Similar.pages - (**)

Chapter 26 - Test Procedures and Projects

Test Procedures and Projects. 26.1 his chapter, written by ARRL Technical Advisor Doug Millar, K6JEY, covers the test equipment ...

www.sincompromisos.com/Documentos/ARadio/26.pdf - Similar pages - @

16433094 194.177.210.230 cache3.grnet.gr 16433094 210.15.202.216 ... 216.98.85.196 as5800-85-196.access.naxs.com 16513259 155.226.255.42 FWvext2. adc.com 16525244 64.171.26.24 adsl-64-171-26-24.dsl.sntc01.pacbell.net 16525244 16555481 129.106.24.91 dbb24-91.db.uth.tmc.edu 16555481 209.215. 4.36 62.172.35.21 dynamic.range.cloud-nine.com 16585718 63.136.112.70 ... 202.90.48.3/stats/analog/dns.cache - Similar pages -

Pressure & Sound

A single head can have a **dynamic range** of 4 or 5 orders of magnitude [5]. gage and its associated circuit are shown in Figures 26.23 and **26.24**. ... www.scribd.com/doc/6938993/Pressure-Sound?__cache_revision= 1231652476& user id=-1&enable_docview_caching... - Similar pages -

Previous 1 2 3 Next

Add a result - See all my SearchWiki notes - See all notes for this SearchWiki - Learn more

"dynamic range" "26.24" ADC decibels

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Web Images Video Maps News Shopping Gmail more -

drjatorres@gmail.com | Web History | My Account | Sign out



"dynamic range" "90.24" ADC decibels

Search

Advanced Search Preferences

Web Show options...

Results 1 - 10 of about 23 for "dynamic range" "90.24" ADC decibels. (0.64 seconds)

Datasheet Archive - Index of Datasheets and Application Notes Page ...

CV210-3 Product Features High **dynamic range** downconverter with integrated ...
References PPM/°C Accuracy Parallel µC/DSP Interface processor connected **ADC**. ...
www.datasheetarchive.com/datasheet-pdf/6024.html - 86k - Cached - Similar pages -

Datasheet Archive - Index of Datasheets and Application Notes Page ... 1.0dB GHz) V.S.W.R.: Max. GHz) High sensitivity small size Size: inch Nominal DESCRIPTION Hybrid high dynamic range optical Receiver module SOT115P ... www.datasheetarchive.com/datasheet-pdf/3116.html - 96k - Cached - Similar pages - More results from www.datasheetarchive.com »

Wireless communication receiver having an **adc** with a limited ... Solution in the sequence of the **ADC** is reduced to 26.24 **dB**, ie, the difference between –64 dBm and –90.24 dBm, which is significantly ... www.freepatentsonline.com/y2006/0251186.html - Similar pages -

[PDF] Table of Contents (S)

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> sound is converted by a three step process, called **ADC**, or analog to digital the opcode ampdb to read raw amplitude values and convert them to **decibel** ... www.jipublishing.com/MastersThesis.pdf - <u>Similar pages</u> - by L. Zakian - <u>Related articles</u> - <u>All 2 versions</u>

[PDF] Direct Search for Heavy Neutral Gauge Bosons in the Dielectron ... File Format: PDF/Adobe Acrobat analog to digital converter (ADC) with a sparse readout [39],. Central Fiber Tracker. Surrounding the SMT is the CFT, consisting of 76800 scintillating ... www-d0.fnal.gov/results/publications_talke/thesis/katsanos/thesis.pdf - Similar pages -

RSR Operations Manual

www.globalses.com/Manuals/RSR_MANU.pdf - Similar pages - 🦈

Pure Digital Evoke-3 - Compare UK Prices And Buy Cheap · Planet ... Y, £90.24, £90.24 + P&P Buy it from 24 Electric.com. 24 Electric. Fuji A100 Bk Digital Camera * 10 Megapixels * 3x Optical zoom (5.7x Digital Zoom - 17.1x ... www.planetprices.co.uk/c-26/p-522650/Pure-Digital-Evoke-3/compare&sort=retailer - 250k - Cached - Similar pages -

[PDF] ISSO Y2005 Annual Report

File Format: PDF/Adobe Acrobat

the 0-dB face-to-face orientation. The use of high gain horn Detection Limit and Dynamic Range of the Three Most Recent Sensor. Prototypes. Parameter ... www.isso.uh.edu/publications/A2005/2005_ISSO_AR.pdf - Similar pages -

Direct Search for Heavy Neutral Gauge Bosons in the Dielectron ...

Direct Search for Heavy Neutral Gauge Bosons in the Dielectron Channel at D0. Ioannis Katsanos. Submitted in partial fulfillment of the ...

lss.fnal.gov/archive/thesis/fermilab-thesis-2008-03.pdf - Similar pages - 💮

Texas Instruments - キーワード検索の結果 (**) - [Translate this page]
B SLES014B - OCTOBER 2001 - REVISED AUGUST 20021 www. ti. com FEATURES 24-Bit Resolution Analog Performance: - **Dynamic Range**: 103 **dB**, Typical - focus-webapps.tij.co.jp/jp/general/docs/sitesearch/searchsite.tsp?searchTerm=% 22sample%22&site=sc&selectedTopic...100... - Similar pages - 〇

1 2 Next

Personalized based on your web history. More details

⊕Add a result - See all my SearchWiki notes - See all notes for this SearchWiki - Learn more

"dynamic range" "90.24" ADC decibels

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Web Images Video Maps News Shopping Gmail more -

drjatorres@gmail.com | Web History | My Account | Sign out



"dynamic range" "90.24" ADC decibels

Search

Advanced Search Preferences

Web S

Show options...

Results 11 - 14 of 14 for "dynamic range" "90.24" ADC decibels. (0.13 seconds)

[APPLICATION] Wireless communication receiver having an adc with a limited ... - Google Patents Result

US Pat. App 10556249

... Peak power of **ADC** input J\r P/A: 12dB Residual interferer after attenuation by analog filter 1 r DR: 55.15 **dB** Receiver noise Residual interferer after ... www.google.com/patents?id=rmmZAAAAEBAJ -

Patentee Index (%)

DB Industries, Inc.: See--. Austin, Barry J.; Betcher, Travis P.; Cutter, Weston L.; and Novak, Patrick J., 06899238 Cl. 212-270. Wolner, J. ... www.cs.indiana.edu/sudoc/image_30000054729557/30000054729557/OG/patentee/alphaD.htm - Similar pages -

SciRate.com

Archive. arXiv:astro-ph. arXiv:cond-mat. arXiv:gr-qc. arXiv:hep-ex. arXiv:hep-lat. arXiv:hep-ph. arXiv:hep-th. arXiv:math-ph. arXiv:nucl-ex. arXiv:nucl-th ... scirate.com/index.php?multi=30&archive=physics&date=2008-12-16 - Similar pages -

SciRate.com

It was shown that a sampling **ADC** with a bit resolution of 12 bits and a sampling ... having a **dynamic range** for deposited neutron energies of 0.3-12 MeV. ... scirate.com/index.php?multi=30&archive=physics&date=2008-12-09 - 250k -

Cached - Similar pages -
More results from scirate.com »

In order to show you the most relevant results, we have omitted some entries very similar to the 14 already displayed.

If you like, you can repeat the search with the omitted results included.

Previous 1 2

Add a result - See all my SearchWiki notes - See all notes for this SearchWiki - Learn more

"dynamic range" "90.24" ADC decibels

Search

<u>Search within results</u> - <u>Language Tools</u> - <u>Search Help</u> - <u>Dissatisfied? Help us improve</u> - Try Google Experimental

http://www.google.com/search?q=%22dynamic+range%22+%2290.24%22+ADC+decibels&... 5/27/09

Sawith



Home | Login | Logout | Access Information | Alerts | Purchase History |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((dynamic range and 90.24)<in>metadata)"

Your search matched 0 of 2035581 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

View Session History

New Search

» Key

7

Open access content

IEEE Journal or

Magazine

IET Journal or Magazine

#EEE Conference

Proceeding

IET CNF IET Conference

Proceeding

ISSS STO IEEE Standard

Modify Search

((dynamic range and 90.24)<in>metadata)

Check to search only within this results set

Display Format: @ Citation @ Citation & Abstract

IEEE/IET Books Educational Courses

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

📢 view selected items 📗 🔻

Select All Deselect All

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

inspec

Help Contact Us

- © Copyright 20



Home | Login | Logout | Access Information | Alerts | Purchase History |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((dynamic range and 26.24)<in>metadata)"

Your search matched 0 of 2035581 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

View Session History

New Search

» Key

7

Open access content

經歷紀 JNL IEEE Journal or

Magazine

題到 JNNL IET Journal or Magazine

#EEE Conference

Proceeding

IET Conference

Proceeding

(EEE STD | IEEE Standard

Modify Search

((dynamic range and 26.24)<in>metadata)

Check to search only within this results set

Display Format: @ Citation @ Citation & Abstract

IEEE/IET

Books

Educational Courses

۸

Sawith

Books published by IEEE Press and IEEE Computer Society Press in partnership with J

🚅 view selected items |

Select All Deselect All

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Inspec

Help Contact Us

© Copyright 20

SCITUS for scientific information only Advanced search | Preferences

1-1 of 1 hits for "dynamic range" "26.24 dB" ADC

	Email, Save or Export checked results	Sor
Filter search results by	1. Wireless communication receiver having an add with a limited d Qian, Xuecheng, UNITED STATES PATENT AND TRADEMARK O	
Content sources	PUBLICATION, Nov 2006	<i>7</i> 1 1 1
Journal sources	patno:US20060251186the normal circumstances, the ADC quantization noise, which	ı is.
Preferred web (1)	noise of the ADC is greatly relaxed to -90 As a result, the req ADC is reduced to 26.24 dB, i.e., the difference between	ıuir:
■ Patent Offices (1)	Full text available at patent office. For more in-depth sea	rch
Other web	similar results Email, Save or Export checked results	
File types		
■ HTML (1)		

O Refine your search

- us20060251186
- usa556249

- usb556249
- **10556249**
- quantization noise
- analog-to-digital converter
- wireless communication
- . quantization
- word length
- digital filter

more r-

Sponsored links

ACD Software - Quotes

Compare ACD Software Prices & Save. Find the Best Deal & Save Today!


ACDSoftware.BuyerZone.com

TASKE Contact 8.8

Web-based call center reporting Plasma/LCD and WFM integration www.taske.com

Deutsche Bahn US Site

Instant prices and availability on German Train tickets RailEurope.com www.RailEurope.com/Deutsche Bahn



Downloads | Submit website | Scirus newsletter | Help | Library partners | Contact us

About us | Advisory board | Privacy policy | Terms & Conditions | Newsroom

Powered by FAST © Elsevier 2009

"dynamic range" "26.24 dB" ADC

Search

SCITUS for scientific information only

Advanced search | Preferences

for scientific information only

1-4 of 4 hits for "dynamic range" "26.24 db"

	<u> </u>	<u>mail, Save</u> or <u>Export</u> checked results	Sor			
Filter search results by	1.	Wireless communication receiver having an add w Qian, Xuecheng, UNITED STATES PATENT AND				
Content sources		PUBLICATION, Nov 2006	THE LEAD THE COLL			
Journal sources		patno: US20060251186SIR. Thus, a much smaller dynamic range is a				
Preferred web (3)		dynamic range of an ADC for a handsetAs a reADC is reduced to 26.24 dB , i.e., the difference be	oetween			
NDLTD (2) Patent Offices (1)		Full text available at patent office. For more similar results	in-depth search			
Other web (1)	2.	Error resilience in JPEG2000				
File types		Natu, Ambarish Shrikrishna., Jan 2003input sample data to have a nominal dynamic	range that is app			
R HTML (3) R PDF (1)		input sample data to have a nominal dynamic range tha aboutsample values are unsigned; the nominal dynamic bias ofvalues. By ensuring that the nominal dynamic ran				
Ů Refine your search		number of Full text thesis available via NDLTD (Austra similar results	lasian Digital Th			
bit errorerror protection	3.	Error resilience in JPEG2000				
■ image compression	88113	Natu, Ambarish Shrikrishna , Jan 2003				
resilienceerror resilience		input sample data to have a nominal dynamic aboutsample values are unsigned; the nominal				
precinctdata compression		bias ofvalues. By ensuring that the nominal dy				
■ concealment		number of				
digital communicationblock code		Full text thesis available via NDLTD (Austra similar results	lasian Digital Th			
more ⊳	S2222 A					
	4.	<u>MAX5556 DS</u> [PDF-319K] Jun 2006				
			0dBFS -87 -20dB			
	E	<u>nail, Save</u> or <u>Export</u> checked results				
	Spor	sored links				
	•					
		<u>sche Bahn US Site</u> ant prices and availability on German Train tickets F	RailEurope.com			
	WWW	/.RallEurope.com/Deutsche_Bahn				
	Quic	 Official Website k & Easy Access to Over 125M D&B Business Report dnb.com 	ts. Start Now!			
		<u>Database</u> base Learn More Now!				

FreeDB.Objectivity.com

"dynamic range" "26.24 db"

Search

Downloads | Submit website | Scirus newsletter | Help | Library partners | Contact us

About us | Advisory board | Privacy policy | Terms & Conditions | Newsroom

Powered by FAST © Elsevier 2009

SCIFUS for scientific information only Advanced search | Preferences

1-1 of 1 hits for "dynamic range" "-90.24 dbm"

	Email, Save or Export checked results	Sor
Filter search results by	1. Wireless communication receiver having an add with a limited d Qian, Xuecheng, UNITED STATES PATENT AND TRADEMARK C	
Content sources	PUBLICATION, Nov 2006	JEFI
Journal sources	patno:US20060251186 greatly relaxed to -90.24 dBm , maintaining the overalltole	
Preferred web (1)	a result, the required dynamic range for the ADC is reduced dBm , which is significantly	.bet
▼ Patent Offices (1)	Full text available at patent office. For more in-depth sea	rch
Other web	similar results Email, Save or Export checked results	
File types	S. Ethan, Save of Export effected results	
≋ HTML (1)		

Nefine your search

- us20060251186
- usa556249
- usb556249
- **10556249**
- quantization noise
- analog-to-digital converter
- wireless communication
- quantization
- word length
- digital filter

more r-

Sponsored links

Dacor Kitchen Appliances

Luxury Cooktops, Microwaves, Wall Ovens, Ranges, Dishwashers And Moi www.Dacor.com/HomeAppliances

Range -Home Depot

Free Delivery & Haul Away & 10% Off All Appliances \$398+ at Home Dep

www.HomeDepot.com

Dynamic Range

Dynamic Range Download | DVD | USB | Hard Drive |

www.ProSoundEffects.com

"dynamic range" "-90.24 dbm" results on scirus.com, for scientific information	Page 2 of 2

Downloads | Submit website | Scirus newsletter | Help | Library partners | Contact us

About us | Advisory board | Privacy policy | Terms & Conditions | Newsroom

Powered by FAST © Elsevier 2009

"dynamic range" "-90.24 dbm"

Search



PALM INTRANET

Day: Wednesday

Date: 5/27/2009 Time: 12:18:13

Inventor Name Search Result

Your Search was:

Last Name = QIAN

First Name = XUECHENG

Application#	Patent#	PG Pub#	Status	Date Filed	Title	Examiner Name
10556249	Not Issued	20060251186	71	11/10/2005	Wireless communication receiver having an analog to digital converter (ADC) with a limited dynamic range	TORRES,JUAN
10557381	Not Issued	20060256754	161	11/18/2005	Multi-band and multi-mode mobile terminal for wireless communication systems	AFSHAR,KAMRAN
10572846	Not Issued	20060291199	30	03/21/2006	Methods and system for controlling an illuminating apparatus	PHILOGENE,HAISS
10581805	Not Issued	20080214137	161	06/02/2006	Receiver For Wireless Communications	TRAN,PABLO
10581808	Not Issued	20070060077	161		Receiver architecture for wireless communication	TRAN,PABLO
10588255	Not Issued	20070140382	161	08/02/2006	Bandpass sampling receiver and the sampling method	TRAN,PABLO
11574738	Not Issued		160	01/01/0001	WIRELESS COMMUNICATION APPARATUS WITH MULTI-ANTENNA AND METHOD THEREOF	,
11813993	Not Issued	20080207157	30		Low Intermediate Frequency Receiver	URBAN,EDWARD

Search

				l .	and the Same Method Thereof	
12162175	Not Issued	20090017785	25		METHOD AND APPARATUS FOR SAMPLING RF SIGNALS	,
12299570	Not Issued		19		METHOD AND APPARATUS FOR GENERATING CLOCK SIGNALS FOR QUADRATURE SAMPLING	,
12309253	Not Issued		19		Rf signal sampling apparatus and method	,

Inventor Search Completed: No Records to Display.

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Correspondence Address for 10/556249

Customer Number	Contact Information	Address			
65913 Delivery Mode: Electronic	Telephone: (408)474-3000 Fax: No Fax # E-Mail: ip.department.us@nxp.com	NXP, B.V. NXP INTELLECTUAL PROPERTY DEPARTMENT M/S41-SJ 1109 MCKAY DRIVE SAN JOSE CA 95131			
Appln Info Conter	Appln Info Contents Petition Info Atty/Agent Info Continuity/Reexam Foreign				
Search Another	C: Application # Search	or Patent# Search			
PCT	Search Search	or PG PUBS #			
Atto	orney Docket #	Search			
Bar	Code #	earch			

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to OASIS | Home page

Continuity/Reexam Information for 10/556249

Parent Data

 $\underline{10556249},$ filed 11/10/2005 is a national stage entry of PCT/IB04/50467 , International Filing Date: 04/16/2004

claims foreign priority to 03131365.5, filed 05/16/2003

Attorney Docket #

Bar Code #

Child Data Appln Info Contents Petition Info Atty/Agent Info Continuity/Reexam Foreign Data Search Another: Application # Search PCT / Search Search Or PG PUBS

Search

Search

Search

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to OASIS | Home page

Foreign Information for 10/556249

Priority#	Date	Country	
03131365.5	05/16/2003	CHINA	
Appln Info Contents Petition I	nfo Atty/Agent Info Co	ontinuity/Reexar	Foreign Data
Search Another: Application Search	n# or Pat	ent#	Search
PCT /	Search or PG PU Search	JBS #	
Attorney Docket	#	Search	
Bar Code #	Search		

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to OASIS | Home page

Application Number Information

Application Number: 10/556249 Examiner Number: 80488 / TORRES, JUAN

<u>Assignments</u>

Filing or 371(c) Date: 11/10/2005 <u>eDan</u> Group Art Unit: 2611 IFW Madras

Effective Date: 11/10/2005 Class/Subclass: 375/350.000

Application Received: 11/10/2005 Lost Case: NO

Pat. Num./Pub. Num: /20060251186 Interference Number:
Issue Date: 00/00/0000 Unmatched Petition: NO
Date of Abandonment: 00/00/0000 L&R Code: Secrecy Code:1

Attorney Docket Number: CN 030011 Third Level Review: NO Secrecy Order: NO

Status: 71 /RESPONSE TO NON-FINAL OFFICE ACTION ENTERED
Status Date: 05/20/2009

AND FORWARDED TO EXAMINER

Confirmation Number: **6573** Oral Hearing: **NO**

Title of Invention: WIRELESS COMMUNICATION RECEIVER HAVING AN ANALOG TO


DIGITAL CONVERTER (ADC) WITH A LIMITED DYNAMIC RANGE

Bar Code	PALM Location	Location Date	Charge to Loc	Charge to Name	Employee Nam	Location
Appln C	Contents Petition	on Info Att	y/Agent Info	Continuity/Red	exam For	eign Data
Sear	ch Another: A	oplication #		or Patent	#	Search
	PCT/	1	Search	or PG PUBS	S #	
	Attorne	y Docket #		Sear	ch j	
	Bar Cod	le #	Se	arch		

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to OASIS | Home page

http://EXPOWEB1:8001/cgi-bin/expo/GenInfo/snquery.pl?APPL_ID=10556249



Inventor Information for 10/556249

Inventor Name	City	State/Country
QIAN, XUECHENG	SHANGHAI	CHINA
Appln Info Contents Petition Info	Atty/Agent Info Co	ontinuity/Reexam Foreign
Search Another: Application # Search	or Pate	ent# Search
PCT /	Search or PG PU	BS#
Attorney Docket #	S	Search
Bar Code #	Search	

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh.

Back to $\ \underline{OASIS}\ |\ Home\ page$